

A

B



C

D




E

F

修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
AO		NEW DRG	WANG	2016-03-12



SECTION  
SCALE 2:1



#### NOTES:

##### 1. MATERIAL:

HOUSING: HIGHT-TEMP PLASTIC, UL 94V-0, COLOR:NATURE;  
COVER: HIGHT-TEMP PLASTIC, UL 94V-0, COLOR:BLACK;  
TERMINAL: COPPER ALLOY;  
PEG: COPPER ALLOY;

##### 2. PLATING:

TERMINAL: GOLD PLATED ON NICKEL OVERALL.  
PEG: TIN PLATED ON NICKEL OVERALL.

##### 3. RATING:

CURRENT RATING: 0.3A AC/DC  
VOLTAGE RATING: 30V AC/DC  
TEMPERATURE RANGE: -55° C~+85° C;

PIN NO.	DIM A	DIM B	DIM C	DIM D	DIM E
13	5.40	3.00	3.60	4.25	4.90
15	6.00	3.60	4.20	4.85	5.50
17	6.60	4.20	4.80	5.45	6.10
19	7.20	4.80	5.40	6.05	6.70
21	7.80	5.40	6.00	6.65	7.30
23	8.40	6.00	6.60	7.25	7.90
25	9.00	6.60	7.20	7.85	8.50
27	9.60	7.20	7.80	8.45	9.10
29	10.20	7.80	8.40	9.05	9.70
31	10.80	8.40	9.00	9.65	10.30
33	11.40	9.00	9.60	10.25	10.90
35	12.00	9.60	10.20	10.85	11.50
37	12.60	10.20	10.80	11.45	12.10
39	13.20	10.80	11.40	12.05	12.70
41	13.80	11.40	12.00	12.65	13.30
43	14.40	12.00	12.60	13.25	13.90
45	15.00	12.60	13.20	13.85	14.50
47	15.60	13.20	13.80	14.45	15.10
49	16.20	13.80	14.40	15.05	15.70
51	16.80	14.40	15.00	15.65	16.30
53	17.40	15.00	15.60	16.25	16.90
55	18.00	15.60	16.20	16.85	17.50
57	18.60	16.20	16.80	17.45	18.10
59	19.20	16.80	17.40	18.05	18.70
61	19.80	17.40	18.00	18.65	19.30
63	20.40	18.00	18.60	19.25	19.90
65	21.00	18.60	19.20	19.85	20.50
67	21.60	19.20	19.80	20.45	21.10
69	22.20	19.80	20.40	21.05	21.70
71	22.80	20.40	21.00	21.65	22.30




深圳市华德共创科技有限公司

Shenzhen Huade co-create Technology Co.,LTD

电话: 0755-23304126 传真: 0755-29940187

-TOLERANCES-  
UNLESS OTHERWISE SPECIFIED  
公差参数表



TITLE:  
产品名称: FPC 0.3间距1.0高掀盖式

X.X ±0.30 X.X\* ±3°

APPD:  
核准: XIE

PART NO:  
产品编号: 0.3K-QX-nPWB

X.XX ±0.20 X.XX\* ±2°

CHECK:  
校对: WANG


DATE SCALE UNIT CODE NUMBER

X.XXX ±0.10 X.XXX\* ±1°

DRAW:  
绘图: WANG


2016-03-12 1:1 mm A001

修订		标记	修改摘要	签名	日期
REV	MARK		REVISION DESCRIPTION	SIGNATURE	DATE
A0			NEW DRG	WANG	2016-03-12



FFC/FPC INSERT DIRECTION

RECOMMEND PCB LAYOUT



APPLICABLE FFC/FPC  
FFC/FPC THICKNESS=0.20±0.03





深圳市华德共创科技有限公司  
Shenzhen Huade co-create Technology Co.,LTD  
电话: 0755-27129737 传真: 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表		TITLE: 产品名称: FPC 0.3间距1.0高掀盖式	
X.X ±0.30	X.X* ±3°	APPD: 核准: XIE	PART NO: 产品编号: 0.3K-QX-nPWB
X.XX ±0.20	X.XX* ±2°	CHECK: 校对: WANG	DATE
X.XXX ±0.10	X.XXX* ±1°	DRAW: 绘图: WANG	SCALE
			UNIT
			CODE NUMBER
		2016-03-12	1:1
			mm
			A001

E		F		
修订 REV	标记 MARK	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE
AO		NEW DRG	WANG	2016-03-12

- NOTES:
- ALL DIMENSION MEET EIA-481-3 REQUIREMENTS;
  - CARRRIER MATERIAL: PS, BLACK;
  - PACKING QULITY: 5000PCS/REEL;



PACKING DISCRIPTION:

PIN No.	13~25	27~49	51~61	63~71
REEL WIDTH	24.4	32.4	44.4	56.4
PCS/REEL	5000	5000	5000	5000
REEL/BOX	9	7	6	5
BOX/PCS	45K	35K	30K	25K
CTN. SIZE	350*350*300			

PIN NO.	DIM W	DIM F	DIM So
13~25	24.0	11.50±0.10	—
27~49	32.0	14.20±0.10	28.4
51~61	44.0	20.20±0.15	40.4
63~71	56.0	26.2±0.15	52.4



深圳市华德共创科技有限公司  
Shenzhen Huade co-create Technology Co.,LTD  
电话: 0755-27129737 传真: 0755-29940187

-TOLERANCES- UNLESS OTHERWISE SPECIFIED 公差参数表				TITLE: 产品名称: FPC 0.3间距1.0高掀盖式			
X.X	±0.30	X.X*	±3°	APPD: 核准:	XIE		
X.XX	±0.20	X.XX*	±2°	CHECK: 校对:	WANG		
X.XXX	±0.10	X.XXX*	±1°	DRAW: 绘图:	WANG		
				2016-03-12	1:1	mm	A001